



THE PRODUCT

- **Fulvisol ZMC 50:60:10** is a zinc, manganese, copper and molybdenum nutrition deficiency corrector for all crops. It can be used in a preventive program or at the onset of symptoms.

DIRECTIONS FOR USE

- Product should be used during ideal growing conditions to ensure effective uptake. Avoid extreme weather conditions such as heat and frost events. Spraying in the early morning or late afternoon can assist in minimising risk of rapid drying on the leaf due to evaporation. Where local experience of successful use is not available, we recommend a small scale jar test and test application prior to wide spread use. If any issues are observed do not continue with the application.
- It is recommended to add product to the tank mix after all other products have been mixed well in the tank, including most of the water.
- Do not apply by foliar application to stone fruit.
- Do not apply by foliar application to flowers or fruit of any crop.

COMPATIBILITY

Compatible with most common fertilisers and crop protection products. It is recommended to perform a jar test before mixing. Do not use with amine based products. Do not apply **Fulvisol ZMC 50:60:10** with copper fungicides by foliar application on all crops.

SAFETY DATA SHEET

For further information, refer to the Safety Data Sheet (SDS) which is available from the supplier or from our web site, www.sipcam.com.au

GHS STATEMENTS - DANGER

Hazard statements

H302 - Harmful if swallowed
H318 - Causes serious eye damage
H410 - Very toxic to aquatic life with long lasting effects

Precautionary Statements - Prevention

Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Wear eye/face protection. Avoid release to the environment.

Precautionary Statements - Response

IF exposed: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Collect spillage.

Precautionary Statements - Disposal

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.



Sipcam Pacific
Australia Pty Ltd
Level 1,
191 Malop Street
Geelong
VICTORIA 3220

1000 L

ZMC 50:60:10 + Moly

FULVIC COMPLEX FORMULATION

F

FULVISOL

Zn Mn Cu Mo

High analysis organic complex of zinc, manganese, copper and molybdenum

Total zinc (Zn) content of 50g/L

Total manganese (Mn) content of 60g/L

Total copper (Cu) content of 10g/L

Total sulphur (S) content of 65g/L

Total molybdenum (Mo) content of 1g/L

Formulation: A liquid zinc, manganese, copper and molybdenum complex designed for furrow injection, foliar and fertigation applications where a high analysis and minimal compatibility is required to prevent or correct a nutrient deficiency.

CROPS	RATE	COMMENTS
BROADACRE CROPS	Foliar 2 – 4 L/ha Furrow Injection 4 – 8 L/ha Seed Treatment 5 L/T Soil Drench 5 – 12 L/ha	Foliar: Apply cereals 3-5 leaf stage; pulses/Lucerne 10-14 days before flower; canola 4-9 true leaves Injection: Apply 2cm below seed depth Treatment: Apply at seed cleaning Soil Drench: Apply pre-seeding
TREES (excluding stonefruit), NUTS, BERRIES AND VINES	Foliar 1 – 3 L/ha Fertigation 2 – 6 L/ha	Apply in a water volume of 400 L to 1,000 L/ha. Apply at regular intervals of 7-14 days from petal fall up until harvest.
VEGETABLES Cucurbits, Fruiting Vegetables, Potatoes, Carrots, Onions	Foliar & Fertigation 500 mL – 4 L/ha	Apply from onset of active growth

CAUTION: Do not apply as a foliar application in conjunction with copper and EC fungicides. Applications in adverse spraying conditions or in conjunction with some crop protection products may result in reductions in efficacy or phytotoxicity which may not be acceptable to growers. For most effective results apply early morning or late afternoon.

This product is NOT subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when packed in this container

Specialist Advice In Emergency Only
1800 033 111 All Hours - Australia Wide

WARNING STATEMENTS

Do not swallow. The spray from this product may act as an irritant. Avoid inhalation and contact with the eyes and skin.

Batch No:

Date of Manufacture:

THIS LABEL COMPLIES WITH THE NATIONAL CODE OF PRACTICE FOR FERTILIZER DESCRIPTION AND LABELLING

NOTICE TO BUYER This product must be used in accordance with the directions for use. Where this product is not a good of a kind ordinarily acquired for personal, domestic or household use or consumption under the Australian Consumer Law, Sipcam's liability for any direct, indirect or consequential loss which you incur, including, without limitation, loss or damage to crop, loss of equipment, property damage, personal injury or death is limited, at Sipcam's option, to the replacement of the product or the supply of an equivalent product. By opening this package, you agree to be bound by these terms. If you do not agree to these terms, please return the entire unopened package intact to Sipcam or the place in which you purchased this product for a full refund.

