



# Copper Liquid

## CHELATED TRACE ELEMENT



### THE PRODUCT

- **Xtreme Copper EDTA** is a copper nutrition deficiency corrector for all crops. It can be used in a preventive program or at the onset of symptoms.
- The chelated fraction is very stable in the pH range of 4 to 8.

### DIRECTIONS FOR USE

- **Restrictions:** With foliar applications on fruit trees apply only post-harvest but before leaf senescence and do not exceed 0.25% concentration (250 mL/100 L of water).
- Do not apply by foliar application to stone fruit.
- Do not apply by foliar application to flowers or fruit of any crop.
- Do not apply by foliar application to broadacre crops greater than 7.5% concentration (7.5 L/100 L).
- If applying with other chelated products do not exceed a maximum concentration of 0.5% or 500 mL/100 L.
- Where local experience of successful use is not available, we recommend a small scale test application prior to widespread use.

### COMPATIBILITY

Compatible with most common fertilisers and agrochemicals used. It is recommended to perform a jar test before mixing.

### SAFETY DATA SHEET

For further information, refer to the Safety Data Sheet (SDS) which is available from the supplier or from our web site, [www.sipcam.com.au](http://www.sipcam.com.au)



**Total copper (Cu) content of 60 g/L chelated by EDTA.**  
**Total nitrogen (N) content of 26 g/L.**

**FORMULATION:** A uniquely formulated copper EDTA chelate made utilising nitrogen to eliminate unwanted sodium. Recommended for foliar and fertigation applications where a 100% chelated product is required.

CROPS	RATE/HA	RATE PER TREE/ PLANT	COMMENTS
<b>FRUIT TREES, CITRUS, OLIVES, NUTS, GRAPES</b>	2.5 – 7.5 L/ha	250 mL/100 L	Apply 3 - 5 times during crop cycle via fertigation.
<b>VEGETABLES, STRAWBERRIES, ORNAMENTALS</b>	1.25 – 3.75 L/ha	250 mL/100 L	Apply 3 - 5 times during crop cycle via fertigation.
<b>BROADACRE CROPS</b>	0.25 – 1.25 L/ha	1.25 L/100 L	Do not apply during flowering.

### GHS STATEMENTS - WARNING

#### Hazard statements

H315 - Causes skin irritation  
 H303 + H333 - May be harmful if swallowed or if inhaled

#### Precautionary Statements - Prevention

Wear protective gloves. Wash face, hands and any exposed skin thoroughly after handling.

#### Precautionary Statements - Response

IF exposed or concerned: Get medical help if you feel unwell. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

#### Precautionary Statements - Storage

Store in accordance with local regulations.

#### Precautionary Statements - Disposal

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

This product is NOT a dangerous good under the Australian Code for the Transport of Dangerous Goods by Road and Rail.	<b>WARNING STATEMENTS</b> Do not swallow. The spray from this product may act as an irritant. Avoid inhalation and contact with the eyes and skin. Users are encouraged to seek further advice.
Specialist Advice In Emergency Only <b>1800 033 111</b> All Hours - Australia Wide	Batch No: Date of Manufacture:



# 20L

### THIS LABEL COMPLIES WITH THE NATIONAL CODE OF PRACTICE FOR FERTILIZER DESCRIPTION AND LABELLING

**NOTICE TO BUYER** This product must be used in accordance with the directions for use. Where this product is not a good of a kind ordinarily acquired for personal, domestic or household use or consumption under the Australian Consumer Law, Sipcam's liability for any direct, indirect or consequential loss which you incur, including, without limitation, loss or damage to crop, loss of equipment, property damage, personal injury or death is limited, at Sipcam's option, to the replacement of the product or the supply of an equivalent product. By opening this package, you agree to be bound by these terms. If you do not agree to these terms, please return the entire unopened package intact to Sipcam or the place in which you purchased this product for a full refund.

