

Amino Xpert Copper

COMPATIBLE PLANT ACTIVE FORMULATION

CROPS	RATE	COMMENTS
BROADACRE CROPS	Foliar 0.5 – 1 L/ha	Cereals early-tillering to flag leaf emergence. Pulses/Lucerne 10-14 days before flowering. Canola 4 leaf stage to pre-flowering.
COTTON	Foliar 0.5 – 1 L/ha	Apply from 4 leaf to early squaring. Apply multiple applications if required every 14 days.
TREES (excluding stone fruit), NUTS, BERRIES AND VINES	Foliar 0.3 – 1 L/ha	Apply in a water volume of 400 L to 1000 L per ha. Apply at regular intervals of 7-14 days from petal fall up until harvest.
VEGETABLES	Foliar 500 mL – 1 L/ha	Apply from onset of active growth.

CAUTION: Do not apply as a foliar application in conjunction with copper and EC fungicides to stone fruit and tree crops. This product contains a strong chelating agent that will increase the activity of copper. The resulting levels of phytotoxicity may not be acceptable to some growers.

WARNING STATEMENTS

Do not swallow. The spray from this product may act as an irritant. Avoid inhalation and contact with the eyes and skin.

Batch No:

Date of Manufacture:

This product is NOT a Dangerous Good under the Australian Code for the transport of Dangerous Goods by road and rail

Specialist Advice In Emergency Only
1800 033 111
All Hours - Australia Wide



1000 L

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

NOTICE TO BUYER This product must be used in accordance with the directions for use. Where this product is not a good of a kind ordinarily acquired for personal, domestic or household use or consumption under the Australian Consumer Law, Sipcam's liability for any direct, indirect or consequential loss which you incur, including, without limitation, loss or damage to crop, loss of equipment, property damage, personal injury or death is limited, at Sipcam's option, to the replacement of the product or the supply of an equivalent product. By opening this package, you agree to be bound by these terms. If you do not agree to these terms, please return the entire unopened package intact to Sipcam or the place in which you purchased this product for a full refund.

FORMULATION

Amino Xpert Copper incorporates unique, biodegradable chelation technology to ensure excellent plant uptake and physical and biological compatibility with a wide range of crop protection products. It is ideal for use where the foliar application of a chelated product with excellent plant uptake and compatibility is required.

THE PRODUCT

Amino Xpert Copper is a nutrition deficiency corrector for all crops. It can be used in a preventive program or at the onset of symptoms.

DIRECTIONS FOR USE

Apply **Amino Xpert Copper** as a foliar application during ideal growing conditions to ensure effective uptake. Avoid extreme weather conditions, such as heat and frost events. Spraying in the early morning or late afternoon can assist in minimising risk of rapid drying on the leaf due to evaporation. Do not apply by foliar application to tree crops, fruit (including stone fruit) or flowers.

COMPATIBILITY

Amino Xpert Copper is compatible with most crop protection and nutrition products. Add Amino Xpert Copper to the tank-mix after all other products and most of the water have been added and thoroughly mixed into the spray solution. Conduct a small-scale jar test and test application before widespread use if local experience of successful use is unavailable. Do not continue with application if any issues are observed. Contact Sipcam for further details on physical and biological compatibilities.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131 126.

SAFETY DATA SHEET

For further information, refer to the Safety Data Sheet (SDS) which is available from the supplier or from our web site, www.sipcam.com.au