

print: 26.02.2025 rev n°: 2 (replaces version 1) Revision date: 26.02.2025

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: <u>CLICK PREMIUM</u> kind of formulation: Flowable (SC) Article number: Not applicable

Registration number REACH Not applicable.

UFI: JF06-PT17-Q10Y-SY05

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant use: Agriculture.

Herbicide

Agrochemicals formulation.

Product category PC27 Plant protection products

Application of the substance / the mixture

Plant protection product Agricultural chemicals

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: SIPCAM OXON S.p.A.

Registered office: Via Carroccio, 8 - 20123 Milano, Italia Management: Via Sempione, 195 - 20016 Pero (MI), Italia

Production site: Via Vittorio Veneto, 81 - 26857 Salerano s. Lambro (LO), Italia

Tel.: +39 0371 5961 (8:00 - 17:00 GMT+1)

Website: www.sipcam-oxon.com E-mail: msds@sipcam.com 1.4 Emergency telephone number:

Emergency phone: +39 02 353781 (8.00-17.00 GMT+1) For any questions regarding this MSDS please contact:

msds@sipcam.com

Refer to section 16 for Poison Centres.

Nationaal Vergiftigingen Informatie Centrum (NVIC) 088 755 8000 (24 uur per dag en 7 dagen in de week)

Vergiftigingen.info

# SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- 2.1.1 Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

Repr. 2 H361d Suspected of damaging the unborn child.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

(Contd. of page 1)



# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

print: 26.02.2025 rev n°: 2 (replaces version 1) Revision date: 26.02.2025

Trade name: CLICK PREMIUM

# Hazard pictograms







GHS07

GHS08

HS08 GHS0

#### Signal word Warning

# Hazard-determining components of labelling:

**Terbuthylazine** 

# Hazard statements

H302 Harmful if swallowed.

H361d Suspected of damaging the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

#### Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves / protective clothing.

P314 Get medical advice/attention if you feel unwell.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Additional information:

SP1 Do not contaminate water with the product or its container.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

#### 2.3 Other hazards

# Results of PBT and vPvB assessment

PBT: The mixture does not contain any PBT substances.

vPvB: The mixture does not contain any vPvB substances.

#### Determination of endocrine-disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties in accordance with Article 57(f) of REACH or Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

**Description:** Mixture of the substances listed below with harmless additions:

# Dangerous components:

N° CAS Desig	nation R-Phrases	%
CAS: 5915-41-3 EINECS: 227-637-9 Index number: 613-323-00-2	Terbuthylazine  ♦ STOT RE 2, H373; ♦ Aquatic Acute 1, H400 (M=10); A Chronic 1, H410 (M=10); ↑ Acute Tox. 4, H302	1quatic 25-50%
CAS: 68439-49-6 NLP: 500-212-8	Alcohols, C16-18, ethoxylated  ♦ Eye Dam. 1, H318; ♦ Acute Tox. 4, H302	≥3-≤10%
CAS: 104206-82-8 Index number: 609-064-00-X	mesotrione $Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H41 (M=10)$	0 2.5-10%
CAS: 9038-95-3	1-[2-[2-(3-methoxypropoxy)propoxy]ethoxy]butane	2.5-10%

(Contd. on page 3)



Trade name: CLICK PREMIUM

		(Contd. of page 2)
CAS: 7664-38-2	phosphoric acid	<2.5%
EINECS: 231-633-2	♦ Met. Corr.1, H290; Skin Corr. 1B, H314; ♦ Acute Tox. 4, H302	
Index number: 015-011-00-6	♦ Met. Corr.1, H290; Skin Corr. 1B, H314; ♦ Acute Tox. 4, H302 Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25 %	
Reg.nr.: 01-2119485924-24-xxxx		
	Eye Irrit. 2; H319: 10 % ≤ C < 25 %	
CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one	<i>≥</i> 0.025-<0.036%
EINECS: 220-120-9	♠ Acute Tox. 2, H330; ♠ Eye Dam. 1, H318; ♠ Aquatic Acute 1,	
Index number: 613-088-00-6	H400; Aquatic Chronic 1, H410; (1) Acute Tox. 4, H302; Skin Irrit.	
Reg.nr.: 01-2120761540-60-xxxx		
	ATE: LD50 oral: 450 mg/kg	
	Specific concentration limit: Skin Sens. 1A; H317: $C \ge 0.036 \%$	
Additional information For the wording of the listed hazard phrases refer to section 16.		

# **SECTION 4:** First aid measures

# 4.1 Description of first aid measures

### General information

Show this safety data sheet to the doctor.

Personal protection for the First Aider.

Wash contaminated clothes after use.

#### After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness bring patient into stable side position for transport.

#### After skin contact

Instantly wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

#### After eye contact

Rinse opened eye for several minutes under running water, until symptoms disappear, and then with ophtalmic decongestant solution; seek medical attention. Take immediately to hospital, in case of severe injuries.

### After swallowing

Call a doctor immediately.

Rinse out mouth without swallowing, do not induce vomiting.

Information for doctor Patient needs medical supervision for 48 h.

# 4.2 Most important symptoms and effects, both acute and delayed

Irritation of skin and eyes.

Ataxia, dyspnoea, headache, lethargy, tremors.

Gastric or intestinal troubles

# 4.3 Indication of any immediate medical attention and special treatment needed

Seek the advice of a Poison Control Centre Treat symptomatically and supportively

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

# Suitable extinguishing agents

Carbon dioxide

Water haze

Dry chemical

Alcohol-resistant foam

For safety reasons unsuitable extinguishing agents Avoid full water jet.

# 5.2 Special hazards arising from the substance or mixture

Can be released in case of fire:

Nitrogen oxides (NOx)

Carbon Oxides (COx)

# 5.3 Advice for firefighters

# Protective equipment:

Wear self-contained breathing apparatus.

Wear full protective suit.

# Additional information

Cool endangered containers with water spray jet.

(Contd. on page 4)



Trade name: CLICK PREMIUM

Collect contaminated fire fighting water separately. It must not enter drains.

(Contd. of page 3)

# SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Put on breathing apparatus.

Ensure adequate ventilation

Wear protective clothing.

Bring people out of danger.

6.1.1. For non-emergency personnel

wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing;

remove ignition sources and provide sufficient ventilation

apply emergency procedures, evacuate the danger area or consult an expert.

6.1.2. For emergency responders

wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing;

Provide inalation protection adapt to the product

Wear protective clothing, boots and glasses

# 6.2 Environmental precautions:

Do not allow to enter the ground/soil.

Inform respective authorities in case product reaches water or sewage system.

#### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Send for recovery or disposal in suitable containers.

Dispose of contaminated material as waste according to Section 13.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

# SECTION 7: Handling and storage

# 7.1 Precautions for safe handling

The usual precautionary measures for handling chemicals shall be observed.

Wear personal protective equipments (PPE).

Avoid contact with the eyes and skin.

Do not eat, drink or smoke while working.

Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.

Handling Avoid direct or indirect contact with the product. Do not eat, drink or smoke while working.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage

Store in a cool and ventilated place, away from heat source and direct sunlight without open sewage system.

Keep out the reach of children, unauthorized persons and animals. Keep away from food, drink and animal feedingstuffs.

Requirements to be met by storerooms and containers: Store only in the original container.

# Information about storage in one common storage facility:

Prevent storage with uncompatible materials (see chapter 10).

Store away from foodstuffs.

# Further information about storage conditions:

Store under dry conditions.

Store in a locked cabinet and out of the reach of children.

Shelf life: 24 months.

Storage class 10

# 7.3 Specific end use(s)

Agriculture

To be applied strictly for the uses described in the label.

- UL



rev n°: 2 (replaces version 1) print: 26.02.2025 Revision date: 26.02.2025

Trade name: CLICK PREMIUM

(Contd. of page 4)

# SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Components with limit values that require monitoring at the workplace:

CAS: 7664-38-2 phosphoric acid

WEL (Gran Bretagna) Short-term value: 2 mg/m<sup>3</sup> Long-term value: 1 mg/m3

#### **DNELs**

CAS: 7664	CAS: 7664-38-2 phosphoric acid		
Oral		10.7 mg/kg bw/day (workers)	
		4.57 mg/kg bw/day (consumers)	
Inhalative	DNEL Short-term	2 mg/m³ (workers)	
	DNEL Long-term	1 mg/m³ (workers)	
		0.36 mg/m³ (consumers)	

**PNECs** No further information available.

Additional information: The lists that were valid during the compilation were used as basis.

#### 8.2 Exposure controls

Appropriate engineering controls Provide a proper ventilation, especially for indoor workplaces.

Individual protection measures, such as personal protective equipment

### General protective and hygienic measures

The usual precautionary measures for handling chemicals shall be observed.

Avoid contact with the eyes and skin.

Wash hands during breaks and at the end of the work.

Do not eat, drink or smoke while working.

#### Breathing equipment:

Use breathing protection in case of insufficient ventilation (according to applicable European Standard).



Breathing protection recommended in accordance with the relevant European Standards.

#### Hand protection



Protective gloves against chemicals and micro-organisms in accordance with EN 374

Material of gloves Nitrile rubber, NBR Eye/face protection



Tightly sealed safety glasses in accordance with EN 166.

Body protection: Wear overalls / workwear when mixing / loading the product and during application Boots Safety footwear for professional use in accordance with EN 345.

# SECTION 9: Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

**General Information** 

Physical state Liquid

Cream coloured Colour: Odour: Sweetish Melting point/freezing point: Not determined

Flammability Not applicable because the product is liquid

Lower and upper explosion limit

Lower: Not explosive Method EU A.14

(Contd. on page 6)



rev n°: 2 (replaces version 1) print: 26.02.2025 Revision date: 26.02.2025

Trade name: CLICK PREMIUM

(Contd. of page 5)

Upper: Not explosive

Method EU A.14

>100 °C (EU A.9) Flash point: Auto-ignition temperature: 450±5 °C (EU A.15) Decomposition temperature: Not determined. pH at 25 °C

3.2 (CIPAC MT 191)

pH value

(1% in distilled water) at 25 °C 3.5 (CIPAC MT 75.3)

pH (undiluited sample)

Viscosity:

Not required. The formulation is a non-Newtownian fluid with Kinematic viscosity

<10% hydrocarbon content.

dynamic at 20 °C: 245-350 mPas (CIPAC MT 192)

Solubility

Water: miscible

Partition coefficient n-octanol/water (log value) Not determined. Not determined. Vapour pressure:

Density and/or relative density

1.118 g/mL (OECD 109) Density at 20 °C

Not determined. Vapour density

Surface tension 35.4 mN/m at 20 °C (EEC A5) 9.2 Other information

Appearance:

Form: Liquid

Important information on protection of health and

environment, and on safety.

Explosive properties: Product is not explosive.

Method EU A.14

Change in condition Softening point/range

Oxidising properties Not an oxidiser Method EU A.21

Information with regard to physical hazard classes

The product is not explosive. Method EU A.14 **Explosives** 

Flammable gases Void Aerosols Void Oxidising gases Void Gases under pressure Void

Flammable liquids The product is not flammable as it does not contain flammable

> solvents. Void

Flammable solids Self-reactive substances and mixtures Void

Pyrophoric liquids Product is not autoflammable. Method EU A.15

Pyrophoric solids Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water

Oxidising liquids Product not oxidising. Method EU A.21

Oxidising solids Void Organic peroxides Void Void Corrosive to metals Desensitised explosives Void

# SECTION 10: Stability and reactivity

10.1 Reactivity The product is not reactive under recommended handling conditions.

10.2 Chemical stability Stable under the recommended handling and storage conditions (see section 7).

**Thermal decomposition / conditions to be avoided:** No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions are known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products:

Thermal decomposition products may include:

(Contd. on page 7)



print: 26.02.2025 rev n°: 2 (replaces version 1) Revision date: 26.02.2025

Trade name: CLICK PREMIUM

Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

(Contd. of page 6)

# SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if swallowed.

LD/LC50	LD/LC50 values that are relevant for classification:		
CLICK PR	CLICK PRO		
Oral	LD50	310 mg/kg (rat female)	
Dermal	LD50	>2,000 mg/kg (rat)	
CAS: 5915	-41-3 Terbu	uthylazine	
Oral	LD50	1,590 mg/kg (rat)	
Dermal	LD50	>2,000 mg/kg (rat)	
Inhalative	Inhalative $ LC50 (4 h)  > 5.3 \text{ mg/L (rat)}$		
CAS: 1042	CAS: 104206-82-8 mesotrione		
Oral	LD50	>5,000 mg/kg (rat)	
Dermal	LD50	>2,000 mg/kg (rat)	
Inhalative	LC50 (4 h)	mg/L (rat)	
		> 5 mg/ $l$	
	CAS: 9038-95-3 1-[2-[2-(3-methoxypropoxy)propoxy]ethoxy]butane		
Inhalative	LC50 (4 h)	1.5 mg/L (rat)	
CAS: 7664	!-38-2 phosp	phoric acid	
Oral	LD50	>300 mg/kg (rat) (OECD 423)	

Primary irritant effect:

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Skin corrosion /	Skin corrosion / irritation - Test		
CLICK PRO			
Irritation of skin	Skin corrosion	(rabbit) Not irritating	
CAS: 104206-82			
Irritation of skin	Skin corrosion	(rabbit) Non irritante	

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Serious eye damage / Irritation - Test		
CLICK PRO		
Irritation of eyes	Eye Irritation	(rabbit)
		Not irritating
CAS: 104206-82-	-8 mesotrione	
Irritation of eyes	Eye Irritation	(rabbit)
	·	Non irritante

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Sensitisation	Sensitisation - Test		
CLICK PRO	CLICK PRO		
Sensitization	(guinea pig) (Buehler Test) Not sensitizing		

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity

Suspected of damaging the unborn child.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard Based on available data, the classification criteria are not met.

Other information: For symptoms and effects see section 4.

(Contd. on page 8)



print: 26.02.2025 rev n°: 2 (replaces version 1) Revision date: 26.02.2025

Trade name: CLICK PREMIUM

(Contd. of page 7)

Additional toxicological information:

Acute effects (acute toxicity, irritation and corrosivity) No further information available.

CMR effects (cancerogenity, mutagenicity and toxicity for reproduction) No relevant information available.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

# SECTION 12: Ecological information

12.1 Toxicity Very toxic to aquatic life with long lasting effects.

12.1 Tometry very tome to adjustic tife with tong tasking effects.				
Aquatic toxicity:				
CLICK PRO				
LC50 (96h)	6.7 mg/L (rainbow trout (oncorhynchus mykiss))			
EC50 (48h)	53 mg/L (Daphnia magna)			
ErC50 (72h)	0.087 mg/L (algae Pseudokirchneriella subcapitata)			
EC50 (7d)	0.114 mg/L (lemna gibba)			
NOEC	0.0039 mg/L (algae Pseudokirchneriella subcapitata) (72 h)			
	0.063 mg/L (lemna gibba) (7d)			
CAS: 5915-4	11-3 Terbuthylazine			
EC50 (72h)	0.028 mg/L (algae Pseudokirchneriella subcapitata)			
LC50 (96h)	2.2 mg/L (rainbow trout (oncorhynchus mykiss))			
ErC50 (72h)	0.028 mg/L (algae Pseudokirchneriella subcapitata)			
EC50	0.412 mg/L (lemna gibba) (14 d - ErC50)			
NOEC	0.09 mg/L (rainbow trout (oncorhynchus mykiss)) (21d)			
CAS: 10420	6-82-8 mesotrione			
LC50 (96h)	>120 mg/L (bluegill sunfish (Lepomis macrochirus))			
	>120 mg/L (rainbow trout (oncorhynchus mykiss))			
EC50 (48h)	900 mg/L (Daphnia magna)			
ErC50 (72h)	0.87 mg/L (algae Pseudokirchneriella subcapitata)			
EC50	0.022 mg/L (lemna gibba) (14d)			
NOEC	0.18 mg/L (algae Pseudokirchneriella subcapitata) (72h)			
	180 mg/L (Daphnia magna) (21 d)			
	0.008 mg/L (lemna gibba) (14 d)			
	12.5 mg/L (pimephales promelas) (36 d)			
CAS: 7664-3	88-2 phosphoric acid			
EC50 (72h)	>100 mg/L (algae) (OECD 201)			

EC50 (48h) >100 mg/L (Daphnia magna) (OECD 202)

# Environmental toxicity

# CAS: 5915-41-3 Terbuthylazine

Oral	LD 50	1,236 mg/kg bw (Colinus virginianus)
		>141.7 mg/kg bw (earthworms, Eisenia foetida) (14 d)
	LD 50	>22.6 μg/bee (bee (Apis mellifera))
Dormal	LD 50	>32 ug/haa (haa (Anis mallifara))

Dermal  $|LD| > 32 \mu g/bee$  (bee (Apis mellifera))

12.2 Persistence and degradability No further relevant information available.

### 12.3 Bioaccumulative potential

# CAS: 5915-41-3 Terbuthylazine

Octanol / Water partition coefficient | 3.4 (partition n-octanol/water) (20 °C)

BCF - Bioconcentration factor 34

\_

### CAS: 104206-82-8 mesotrione

Octanol / Water partition coefficient 3.4 (25°C)

(Contd. on page 9)



print: 26.02.2025 rev n°: 2 (replaces version 1) Revision date: 26.02.2025

Trade name: CLICK PREMIUM

(Contd. of page 8)

12.4 Mobility in soil

CAS: 5915-41-3 Terbuthylazine

Koc 231 ml/g

medium mobility

12.5 Results of PBT and vPvB assessment

**PBT:** None of the ingredients meets the classification requirements.

*vPvB*: None of the ingredients meets the classification requirements.

12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects No further relevant information available.

Remark: Very toxic for fish

DT 50 (active ingredient)

CAS: 5915-41-3 Terbuthylazine

DT 50 72 days (soil)

medium to high persistence

CAS: 104206-82-8 mesotrione

DT 50 6-105 days (soil)

Not persistent

>30 days (water) (25°C)

Persistent

Additional ecological information:

General notes

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

# **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

# Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings: Dispose empty packagings according to current regulations.


**Recommendation:** Disposal must be made according to official regulations.

# SECTION 14: Transport information

14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA	UN3082
14.2 UN proper shipping name	
ADR/RID/ADN	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
	N.O.S. (Terbuthylazine)
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
	(Terbuthylazine), MARINE POLLUTANT
IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
	(Terbuthylazine)

# 14.3 Transport hazard class(es)

ADR/RID/ADN



Class9 (M6) Miscellaneous dangerous substances and articles.Label9

(Contd. on page 10)



print: 26.02.2025 rev n°: 2 (replaces version 1) Revision date: 26.02.2025

Trade name: CLICK PREMIUM

IMDG, IATA	
<b>M *</b>	
9	
Class	9 Miscellaneous dangerous substances and articles.
Label	9
14.4 Packing group ADR/RID/ADN, IMDG, IATA	III
14.5 Environmental hazards:	
Marine pollutant:	Yes
	Symbol (fish and tree)
Special marking (ADR/RID/ADN):	Symbol (fish and tree)
Special marking (IATA):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
Kemler Number:	90
EMS Number:	F- $A$ , $S$ - $F$
Stowage Category	A
14.7 Maritime transport in bulk according	
instruments	Not applicable.
Transport/Additional information:	
ADR/RID/ADN	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
_	Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	E
Remarks:	Transport in Limited Quantities only in suitable packaging.
	ADR Special Provision 375 may apply for UN 3077 in packagings 5 kg or less and for UN3082 in packagings of 5 L or less.
	5 kg or tess and for ON3002 in packagings of 5 L or tess.
IMDG	
Remarks:	IMDG Code 2.10.2.7 may apply for UN 3077 in packagings of 5 or less and for UN3082 in packagings of 5 L or less.
IATA	
Remarks:	For UN 3077 in packagings of 5 kg or less and UN3082
	packagings of 5 $L$ or less, Special Provision A197 may apaccording to IATA Dangerous Goods Regulation.
UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANC
J	LIQUID, N.O.S. (TERBUTHYLAZINE), 9, III

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) n. 1907/2006 Regulation (EC) n. 1272/2008

Regulation (EC) n. 790/2009 and (EU) no. 758/2013

Regulation (EU) n. 2020/878 Regulation (EU) n. 286/2011 Regulation (EU) n. 618/2012

Regulation (EU) n. 487/2013

Regulation (EU) n. 944/2013 Regulation (EU) n. 605/2014

Regulation (EÚ) n. 2015/1221 Regulation (EU) n. 2016/918

Regulation (EU) n. 2016/1179 Regulation (EU) n. 2017/776

Regulation (EU) n. 2018/669

(Contd. on page 11)



print: 26.02.2025 rev n°: 2 (replaces version 1) Revision date: 26.02.2025

Trade name: CLICK PREMIUM

(Contd. of page 10)

Regulation (EU) n. 2018/521 Regulation (EU) n. 2018/1480 Regulation (EU) n. 2020/217 Regulation (EU) n. 2020/1182 Regulation (EU) n. 1107/2009 Regulation (EU) n. 2021/643 Regulation (EU) n. 2021/849 Regulation (EU) n. 2022/692 Regulation (EU) n. 2023/1434 Regulation (EU) n. 2022/1435 Regulation (EU) n. 2022/1435

#### Directive 2012/18/EU

Named dangerous substances - ANNEX I Not applicable Seveso category E1 Hazardous to the Aquatic Environment

Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

#### REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

# Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

# Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

. Bibliographic sources:

- ECHA database
- HSDB in Pubchem
- Pesticide properties database
- Pesticide manual
- Internal company documents

# Department issuing data specification sheet: Product safety department.

#### Contact:

Product safety department

SIPCAM OXON msds@sipcam.com

For Poison Centres in Europe see: https://poisoncentres.echa.europa.eu

Date of previous version: 09.04.2021 Version number of previous version: 1

# Abbreviations and acronyms:

EC 50: Effective concentration, 50 percent

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent



print: 26.02.2025 rev n°: 2 (replaces version 1) Revision date: 26.02.2025

Trade name: CLICK PREMIUM

(Contd. of page 11)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 1

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

Repr. 2: Reproductive toxicity – Category 2

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

#### Sources

Document elaborated on the basis of the data required by the EC Regulation 1107/2009 (plant protection products) and in accordance with the EC Regulation 878/2020.

\* Data compared to the previous version altered.

09.04.2021